


Erratum to “Higher-rank graph C^* -algebras”

Alex Kumjian, David Pask and Adian Sims

ABSTRACT. We fix a longstanding error in [KP, Proposition 4.9] and provide a correct version of the result in the original generality.

1. A counterexample, the correct definition and the correct arguments

Some time ago the first two authors received the following advice from Aidan Sims: Consider the 2-graph from [PRRS, Figure 4] whose 1-skeleton determines its commuting squares



The 2-graph satisfies the hypothesis of [KP, Proposition 4.9], which would then say that the C^* -algebra of this graph is purely infinite. Yet the C^* -algebra of the above graph is Morita-Rieffel equivalent to the Bunce-Dendens algebra of type 2^∞ which is an $A\mathbb{T}$ -algebra and hence not purely infinite, [PRRS, Example 6.1]. Hence this graph is a counterexample to [KP, Proposition 4.9]. This is due to an incorrect definition of loop with an entrance given in the statement.

The correct definition of loop with an entrance is to be found in [S, Definition 8.7] and is given below.

Definition 1. Let Λ be a locally convex, row-finite k -graph. A loop with an entrance is an element $\mu \in \Lambda$ such that $r(\mu) = s(\mu)$ such that there exists $\alpha \in s(\mu)\Lambda$ such that $d(\mu) \geq d(\alpha)$ and $\mu(0, d(\alpha)) \neq \alpha$.

If the above definition had been used, then the proof in [KP, Proposition 4.9], using the results of [A-D], would have been correct. The condition originally used does not imply the groupoid is locally contracting as stated in the first sentence.

Received July 13, 2024.

2020 Mathematics Subject Classification. 46L05, 46L35 (primary) 18A10 (secondary).

Key words and phrases. Pure infiniteness, aperiodicity, higher-rank graph C^* -algebras.

A correct published version of the result, is to be found in [S, Proposition 8.8]. The proof follows the one given in [BPRSz].

Theorem 2. *Let Λ be an aperiodic, row-finite k -graph with no sources, such that every vertex can be reached from a loop with an entrance. Then every hereditary subalgebra has an infinite projection. Hence, if Λ is cofinal then $C^*(\Lambda)$ is purely infinite.*

Remark 3. The condition (C) used in [S, Proposition 8.8], is a version of aperiodicity for k -graphs which are not necessarily row-finite. We briefly show that condition (C) reduces to condition (A) described in Definition [KP, Definition 4.3] under the hypotheses used in [KP, Proposition 4.9] and completes the description of the relationship between between the two results.

As Λ is row-finite with no sinks many of the hypotheses in condition (C) are trivial: Λ is finitely aligned, $FE(\Lambda) = \{v\Lambda^n : v \in \Lambda^0 \text{ and } n \in \mathbb{N}^k\}$, and is equal to the satiation of this set in the sense of [S0, Definition 4.1], so

- $\partial(\Lambda; FE(\Lambda)) = \partial(\Lambda)$ where $\partial(\Lambda; FE(\Lambda))$ is defined in [S0, Definition 4.3] and $\partial\Lambda$ is defined in [FMY, Definition 5.10].
- $\partial\Lambda = \Lambda^{\leq\infty}$ where $\Lambda^{\leq\infty}$ is defined in [RSY, Definition 2.8].
- $\Lambda^{\leq\infty} = \Lambda^\infty$ where Λ^∞ is defined in [KP, Definitions 2.1].

By [LS, Proposition 3.6] one may then see that condition (C) reduces to condition (A) in [KP].

References

- [A-D] ANANTHARAMAN-DELAROCHE, C. Purely infinite C^* -algebras arising from dynamical systems, *Bull. Soc. Math. France* **125** (1997), 199–225. [MR1478030](#), [Zbl 0896.46044](#). [1029](#)
- [BPRSz] BATES, T., PASK, D., RAEBURN, I., AND SZYMAŃSKI, W., The C^* -algebras of row-finite graphs, *New York J. Math.* **6** (2000), 307–324. [MR1478030](#), [Zbl 0976.46041](#). [1030](#)
- [FMY] FARTHING, C., MUHLY, P.S., AND YEEND, T., Higher-rank graph C^* -algebras: An inverse semigroup and groupoid approach, *Semigroup Forum* **71** (2005), 159–187. [MR2184052](#), [Zbl 1099.46036](#). [1030](#)
- [KP] KUMJIAN, A. AND PASK, D., Higher rank graph C^* -algebras, *New York J. Math.* **6** (2000), 1–20. [MR1745529](#), [Zbl 0946.46044](#). [1029](#), [1030](#)
- [LS] LEWIN, P. AND SIMS, A., Aperiodicity and cofinality for finitely aligned higher-rank graphs, *Math. Proc. Cambridge Philos. Soc.* **149** (2010), 333–350. [MR2670219](#), [Zbl 1213.46047](#). [1030](#)
- [PRRS] PASK, D., RAEBURN, I., RØRDAM, M., AND SIMS, A., Rank-Two Graphs whose C^* -algebras are direct limits of Circle Algebras, *J. Funct. Anal.* **239** (2006), 137–178. [MR2258220](#), [Zbl 1112.46042](#). [1029](#)
- [RSY] RAEBURN, I., SIMS, A., AND YEEND, T., The C^* -algebras of finitely aligned higher rank graphs, *J. Funct. Anal.* **213** (2004), 206–240. [MR2069786](#), [Zbl 1063.46041](#). [1030](#)
- [S0] SIMS, A., Relative Cuntz-Krieger algebras of finitely aligned higher-rank graphs, *Indiana Univ. Math. J.* **55** (2006), 849–868. [MR2225454](#). [1030](#)
- [S] SIMS, A., Gauge-invariant ideals in the C^* -algebras of finitely aligned higher-rank graphs, *Canad. J. Math.* **58** (2006), 1268–1290. [MR2270926](#), [Zbl 1115.46050](#). [1029](#), [1030](#)

(Alex Kumjian) DEPARTMENT OF MATHEMATICS (084), UNIVERSITY OF NEVADA, RENO, NV
89557-0084, USA

alex@unr.edu

(David Pask) SCHOOL OF MATHEMATICS & APPLIED STATISTICS, UNIVERSITY OF WOLLON-
GONG, NSW 2522, AUSTRALIA

david.a.pask@gmail.com

(Adian Sims) SCHOOL OF MATHEMATICS & APPLIED STATISTICS, UNIVERSITY OF WOLLON-
GONG, NSW 2522, AUSTRALIA

asims@uow.edu.au

This paper is available via <http://nyjm.albany.edu/j/2024/30-46.html>.